

PRODUCT CATALOGUE







www.permaroof.co.uk

CONTRACTOR AND STOCKISTS OPPORTUNITIES AVAILABLE NATION WIDE



CALL FOR MORE DETAILS 0800 161 3722

Contents

FIRESTONE EPDM CUT TO SIZE	1
FIRESTONE EPDM ROLLS	1
SPECIAL USE EPDM	2
FIRESTONE ADHESIVE	3-4
PERMAROOF ADHESIVE	5-6
TRIMS	7-10
TRIM ACCESSORIES	11-16
FIRESTONE ACCESSORIES	17-21
TAPES & OUTLETS	22-26
PERMATILE	27-28
FIXINGS	29
ROOF KITS	30
TOOLS	31-34
PERMAROOF 500	35-37
ACCESSORIES AND EXTRAS	38-43
PERMALAWN	44-48



FIRESTONE CUT TO SIZE AND ROLLS

FIRESTONE EPDM

Firestone FPDM Membranes cut to size Delivered next day to your door, nationally.....

DARK GREY IN COLOUR Available in 045 (1.14mm) 060 (1.52mm) FR (Flame Retardant 1.14mm)

Rubbercover™ EPDM Roll sizes



Mini roll sizes

3.05m x 7.62m 4.57m x 7.62m 6.1m x 7.62m

Half roll sizes

3.05m x 15.25m 4.57m x 15.25m 6.1m x 15.25m 7.62m x 15.25m



Full roll sizes

1.0m x 30.5m

1.5m x 30.5m

2.0m x 30.5m

2.54m x 30.5m

3.05m x 30.5m

3.66m x 30.5m

3.66m x 61m

3.96m x 30.5m

3.96m x 61m

4.57m x 30.5m

5.08m x 30.5m One fold

6.1m x 30.5m

7.62m x 30.5m

9.15m x 30.5m

12.2m x 30.5m

15.25m x 30.5m

WE ALWAYS HAVE DEALS FOR BULK AND LARGE ORDERS. CALL US WITH YOUR REQUIREMENTS TODAY



SPECIAL USE EPDM

FIRESTONE EPDM MAX

Firestone MAX reinforced EPDM membrane is a 100% cured roofing membrane made of synthetic rubber EPDM. The Firestone MAX sheet is made of two plies of standard compound, internally reinforced with a high strength polyester weft scrim. This is a one piece system, high performing membrane used for a variety of flat roofing applications.



FIRESTONE 1MM FACADE EPDM

The unique Permaroof Epdm waterproofing system is the perfect solution to achieving a permanent waterproofing seal around penetrations in curtain walling situations i.e. commercial offices, concrete structures etc.

Roll sizes

100mm x 20m

150mm x 20m

200mm x 20m

300mm x 20m

350mm x 20m

Bespoke widths available call for more details.



PERMAROOF 0.75MM FACADE EPDM

The unique Permaroof Epdm waterproofing system is the perfect solution to achieving a permanent waterproofing seal around penetrations in curtain walling situations i.e commercial offices, concrete structures etc.

Roll sizes

100mm x 20m

150mm x 20m

200mm x 20m

300mm x 20m

350mm x 20m

Bespoke widths available call for more details.





FIRESTONE WATER-BASED ADHESIVE (WHITE)

19L Tub (approx. 80M² Coverage)

10L Tin (approx. 40M² Coverage)

5L Tin (approx. 20M² Coverage)

2.5L Tin (approx. 10M² Coverage)



GENUINE FIRESTONE BRAND GUARANTEE - BEWARE OF IMITATIONS

DO NOT LET THIS PRODUCT FREEZE!

Used for fully adhering rubber membrane to timber decks. Remember: timber deck application only.

FIRESTONE BONDING ADHESIVE (Green)

10L Tin (approx. 30M² Coverage)

5L Tin (approx. 15M² Coverage)

2.5L Tin (approx. 7.0M² Coverage)



GENUINE FIRESTONE BRAND GUARANTEE - BEWARE OF IMITATIONS

Used for bonding rubber membrane to timber, tissue-faced insulation, brick, metal, and concrete.

Commonly used for bonding around the edges of a roof and brick upstands. Remember: both EPDM and mating surface need to be tacky before offering together.



FIRESTONE ADHESIVE

FIRESTONE SPRAY BONDING ADHESIVE

17kg (approx. 75M² Coverage) Used with spray gun and hose (see tools page 22)

750ml (approx. 3M² Coverage) handy aerosols for any job

Commonly used for bonding around the edges of a roof and brick upstands. Remember: both EPDM and mating surface need to be tacky before offering together.





QUICKPRIME PLUS

3.78L Tin

1L Tin



Must be used in conjunction with all Quickseam accessories. Applied with guick scrubber pads.

To be used when detailing with formflash, seam tape, coverstrips, pipe boots, and walkway pads. Remember: this needs to be tacky before it will work!

SPLICE ADHESIVE

An EPDM to EPDM adhesive. Covers approx 30 linear metres at 150mm wide.

EPDM should be cleaned using Splice Wash membrane cleaner prior to application.



It can also be used as a contact adhesive and will bond EPDM to EPDM and also EPDM to masonry, metal, wood, etc.

Firestone RubberCover

PERMAROOF ADHESIVE

PERMAROOF WATER-BASED ADHESIVE

10L Tin (approx. 40M² Coverage)

5L Tin (approx. 20M² Coverage)

2.5L Tin (approx. 10M² Coverage)

DO NOT LET THIS PRODUCT FREEZE!

Used for fully adhering rubber membrane to timber decks. Remember: timber deck application only.



PERMAROOF BONDING ADHESIVE

10L Tin (approx. 20M² Coverage)

5L Tin (approx. 10M² Coverage)

2.5L Tin (approx. 5.0M² Coverage)

Commonly used for bonding around the edges of a roof and brick upstands. Remember: both EPDM and mating surface need to be tacky before offering together.





PERMAROOF ADHESIVE

PERMAROOF PU ADHESIVE

11KG (approx. 30-40M² Coverage)

Ideal for Winter temperatures, this product will not freeze!

PERMAROOF PU ADHESIVE is a one component Moisture Curing Polyurethane Adhesive designed for: Outstanding adhesion to many substrates Slow to medium speed roller coat or bead application Strong rigid bonds Resistance to high and low temperatures and moisture







PERMAROOF EDGE/KERB TRIM

Edge/Kerb Trim – 65mm x 2.5M **UPVC**

UPVC Edge/Kerb Trim - 65mm x 3.5M

Available in black or white



Designed to fit over the edge of the roof. the profile of the trim forms the upstand and ensures the water is directed towards the gutter edge. Must be used in conjunction with foam tape or bond and seal.

PERMAROOF TRIM GUTTER/DRIP TRIM

UPVC Gutter/Drip - 65mm x 2.5M 2 Part Trim



Available in black or white

A unique patented design. Used along the gutter edge. It sandwiches the roofing membrane eliminating penetration when fixing. It is a 2- part trim sold together.



PERMAROOF PLUS EDGE/KERB TRIM

PERMAROOF PLUS Edge Trim 125mm x 2.5M

Available in black or white.



Designed to fit over the edge of the roof, The profile of the trim forms the upstand and ensures the water is directed towards the gutter edge.

PERMAROOF PLUS TRIM GUTTER/DRIP TRIM

PERMAROOF PLUS Gutter 2 Part Trim - 75mm x 2.5M

Available in black or white.




A unique patented design. Used along the gutter edge. It sandwiches the roofing Membrane eliminating penetration when fixing. It is a 2-part trim sold together



EPDM EDGE TRIM 2.5M (BLACK ONLY)

EPDM Edge trim 2.5m x 65mm pre foamed

Designed to fit over the edge of the roof, the profile of the trim forms the upstand and ensures the water is directed towards the gutter edge.



PERMAROOF UPVC WALL FLASHING

UPVC wall flashing 2M

For flashing into brickwork



PLASTISOL EDGING TRIM

Plastisol Edge Trim - 75mm (3") x 3M

Plastisol Edge Trim – 100mm (4") x 3M

Plastisol Edge Trim – 125mm (5") x 3M

3 metre length – Vertical Fix – 40mm top 10mm Lip

All trims are available in black or white with a mottled effect finish.



PLASTISOL GUTTER EDGE TRIM

Plastisol Gutter Trim - 70mm x 3M

3 metre length – Horizontal Fix – 40mm top

Works in conjunction with butyl edge tape.



All trims are available in black or white with a mottled effect finish.

PLASTISOL WALL FLASHING TRIM

Plastisol Wall Flashing Trim – 70mm x 3M

3 metre length – Vertical Fix – 20mm top



All trims available in black or white with a mottled effect finish.





PERMAROOF TRIM INTERNAL CORNER

PERMAROOF UPVC Internal Corner

Available in black or white.

Designed to be used with Permaroof edge trim only.



PERMAROOF TRIM EXTERNAL CORNER

PERMAROOF UPVC External Corner

Available in black or white.

Designed to be used with Permaroof edge trim only.



PERMAROOF TRIM JOINT CLIP/BUTT STRAP

UPVC Joint Clip/Butt Strap 40mm wide

Available in black or white.



Designed to be used with Permaroof edge trim only. The joint clip is used for joining two pieces of edge trim together.





PERMAROOF TRIM END CAP (SMALL)

UPVC Trim End Cap (Small)

Available in black or white. Designed to be used with Permaroof Trim Edge/Kerb trim only.





Used for capping of the ends of the edge trim where they join each other or at an upstand.

PERMAROOF TRIM END CAP (LARGE)

UPVC Corner End Cap (Large)

Available in black or white.

Designed to be used with Permaroof Trim External corners





Used to blank off the ends of the external corners where the Edge/Kerb trim meets the gutter edge.

PERMAROOF TRIM BOND & SEAL SEALANT

Permaroof Bond & Seal Sealant

Available in black.

Designed to be used with Permaroof edge trim, end caps and corner details.



A specially formulated sealant designed for maximum adhesion to single ply membranes.





PERMAROOF TRIM FOAM TAPE

PERMAROOF Trim Foam Tape

Roll size 8 metre

Designed to be used with Permaroof Trim Edge/Kerb trim only.



Self adhesive tape applied to the base of the edge/kerb trim, designed to give a watertight seal on uneven surfaces

BUTYL EDGE TAPE

Butyl Edge Tape 30 mtr Roll

Per Linear Metre

To be used with Plastisol trims.



This is a specially designed tape used underneath the metal trims where fixings penetrate the EPDM membrane. It provides a watertight seal as the fixing goes through the membrane.

POLYTOP NAILS

40mm Polytop nails x 100

50mm Polytop nails x 100

Available in black or white.

Used to fix Permaroof Trim Edge profile to fascia board.



HEX TECH FIXINGS

Hex tech fixings - Bag of 100

To be used with Plastisol trims.



HEX TECH COVERS

Hex Tech Covers - Bag of 100

To be used with hex tech fixings.

Available in Black or white



DELUXE FASTENERS

Deluxe Fasteners - Bag 100

Low profile carbon steel self drilling screws for fixing Plastisol trims and do not require covers.

Available in black or white.





EPDM TRIM EXTERNAL CORNER

Permaroof EPDM trim 90° External Corner

Available in black



EPDM TRIM JOINT CLIP

Joint Clip Available in black.

Designed to be used with EPDM Trim (Edge trim only)

The joint clip is used for joining two pieces of Edg trim together.



ULTRABOND SEALANT

A specially formulated sealant designed for maximum adhesion to single ply membranes.







PERMAROOF PLUS TRIM INTERNAL CORNER

PERMAROOF PLUS UPVC 90° Internal Corner

Available in black or white.



Designed to be used with Permaroof Plus Trim edge trim only.

PERMAROOF PLUS TRIM JOINT CLIP

PERMAROOF PLUS UPVC Joint Clip

Available in black or white.

Designed to be used with Permaroof Plus Trim (Edge trim only)



The joint clip is used for joining two pieces of edge trim together.

PERMAROOF PLUS TRIM EXTERNAL CORNER

PERMAROOF PLUS UPVC 90° External Corner

Available in black or white.

Designed to be used with Permaroof Plus Trim (edge trim only)





BATTEN BAR

Batten Bar 3 metre length.

For securing RPF & RMA strip to substrates. Use with Firestone All-purpose fasteners.



TERMINATION BAR

Termination Bar 3 metre length.

For securing roof terminations to adjacent flat roofs or upstands.

Must be used in conjunction with Water Block Seal and All-Purpose fasteners.



V-PLATE

V- Plate - Pail of 500 Or Per Plate

2¼" diameter fixing plate.
Used for RPF OR RMA strip installations



INSULATION PLATE

Insulation Plate - Pail of 1000 Or Per Plate

3" diameter fixing plate.
Used for the attachment of insulation boards





SPLICE-WASH MEMBRANE CLEANER

Membrane Cleaner 191 Tin Membrane Cleaner 5L Tin

Used to clean EPDM prior to application of Splice Adhesive. Also useful for cleaning glue from scissors etc



LAP SEALANT

Lap Sealant

For sealing cut edges of Quickseam Formflash. Used as a temporary sealant around cut edges of Quickseam Formflash. It protects the edges during the curing process, and will break up after a few weeks.



WATER BLOCK SEALANT

Water Block Sealant

Use behind membrane when using termination bar. Also use with internal drain outlet, between outlet and membrane





QUICKSEAM CORNER FLASHING

216 mm diameter patch

Carton of 20 Corners

Or Per Corner

Used with Quickprime Plus only.



Used for flashing outside corners and for membrane repairs.

QUICKSEAM MOULDED PIPE FLASHING

Per Unit

Used with Quickprime Plus only.

Used for flashing around pipes where the moulded pipe flashing can be placed over the pipe.

The base of the flashing is bonded to the membrane using Quickprime Plus.



FIRESTONE RESISTA AK INSULATION BOARD

Polyiso (PIR) roof insulation board

Firestone RESISTA AK insulation board consists of a closed-cell polyiso foam core laminated on both sides to a gastight multi-layered aluminium complex.

The foam technology uses a HCFC-free blowing agent with a GWP (Global Warming Potential) of less than 5 and zero ODP (Ozone Depletion Potential).

RESISTA AK is suitable for use on adhered, ballasted and mechanically fastened Firestone single-ply roofing systems (UltraPly™ TPO, RubberGard™ EPDM and RubberCover™ EPDM). RESISTA AK provides outstanding and stable thermal resistance, dimensional stability and compressive strength, which translates into a complete flat roof solution with long lasting superior performance.





QUICKSEAM WALKWAY PAD

Walkway Pad 760mm square

A reinforced EPDM anti-slip walkway pad. To be used where there is heavy foot traffic on the roof.

It is bonded to the EPDM membrane using Quickprime plus.



2-PART POURABLE SEALANT

Firestone Pourable Sealer

Firestone pourable sealer is a two component sealer designed to create a watertight seal around small pipe penetrations, clusters of pipes, etc.



FIRESTONE SPRAY CLEANER 500ML

Firestone cleaner 500ml Is a powerful cleaner for efficient cleaning of adhesive. It has excellent dirt and grease removing action. Can also be used to clean spray gun nozzles and hoses.





FIRESTONE ACRYLITOP COATING

Available in white or grey. Features

It reflects about 68 percent of the sun's energy after just three years.

- Benefits
- Extends the Roof's Life
- Substantial Energy Savings
- Decreased Pollution



EPDM PAVING SUPPORT PAD

- A fast, labour saving way to lay paving
- Uniform paving provided by positioning lugs
- No need for mortar or pointing, reducing weight and mess
- No direct contact with insulation or waterproof membranes, avoiding damage and protecting from sunlight
- Paving can be taken up at any time to inspect deck, clean or carry out repairs
- Creates a void beneath the slabs for drainage





12" OR 18" FORMFLASH

15.25m Roll

Or per Linear Metre

Must be used with Quickprime Plus



Formed by hand around pipes, outside corners and areas of awkward detail. An uncured EPDM flashing tape for detailing pipes, corners and joints, outlets etc.

5" FLASHING TAPE

30.5M Roll

Or per Linear Metre

Must be used with Quickprime Plus



A semi-cured flashing tape for flashing EPDM membrane to metal trims.

6" QUICKSEAM BATTEN COVER STRIP

30.5M Roll

7.62M Roll

Or per Linear Metre

Must be used with Quickprime Plus



Cured EPDM flashing tape. Cannot be used as a detailing tape.





18" QUICKSEAM SA FLASHING

15.25M Roll

Or per Linear Metre

Must be used with Quickprime Plus

Used for sealing drains, skylights, vents, gutters.



3" SEAM TAPE

30.5m Roll

Or per Linear Metre

Used with Quickprime Plus only.



A butyl-based rubber seam tape, for seaming two pieces of EPDM together.

RPF STRIP

QuickSeam Reinforced Perimeter Fastening (RPF)

Strip is a 6" (152.4 mm) wide RubberGard™ MAX membrane with 3"



used for non-penetrating flashings as

specified in Firestone Specifications and Details.





RMA STRIP

10" wide RubberGard™ Max membrane with two 3" wide strips of quickseam tape.

Used for roof membrane attachment beneath the Firestone EPDM membrane

as additional membrane securement.



Available in sizes: 60mm

80mm

100mm

150mm

Used to drain rainwater through the deck into an outlet.

Used as a water block check behind membrane. This product is not UV stable and it is vital that it is only used behind the membrane.

UNIVERSAL LEAF GUARD

Leaf Guard

Used for attachment to an EPDM drain outlet





EPDM THRU WALL OUTLET 100MM

Roof outlets for corners and junctions between the roof and parapet wall

Square 100MM X 100M X 425MM



SQUARE LEAF GUARD

Leaf Guard

Used for attachment to an EPDM Thru wall outlet



SPIGOT ELBOW

For use with EPDM thru wall outlets

To take water away into a hopper





FLAT ROOF AERATOR

Used for ventilating flat roofs,

Height: 160mm.

Diameter of the base plate / flange: 390mm.

Diameter of the flue or pipe at the bottom of the vent: 125mm.

Diameter of the flue or pipe at the top (where it meets the cap / hood) : 73mm.

Material: TPE - Plastic / Rubber compound.





Orders 0800 161 3722

26



PERMATILE RUBBER PROMENADE **TILES**



CHARCOAL GREY

USED FOR

- **Balconies**
- Flat roofs
- Terraces
- Patios
- Access walkways

Length 500MM X Width 500MM X 30MM thickness

RUSTIC RED

USED FOR

- **Balconies**
- Flat roofs
- Terraces
- Patios
- Access walkways

Length 500MM X Width 500MM X 30MM thickness





CARBON BLACK

USED FOR

- Balconies
- Flat roofs
- Terraces
- Patios
- Access walkways

Length 500MM X Width 500MM X 30MM thickness



PERMATILE RUBBER PROMENADE TILES

ARTIFICIAL GRASS

USED FOR

- Balconies
- Flat roofs
- Terraces
- Patios
- Access walkways

Length 500MM X Width 500MM X 30MM thickness





FOREST GREEN

USED FOR

- Balconies
- Flat roofs
- Terraces
- Patios
- Access walkways

Length 500MM X Width 500MM X 30MM thickness





PERMAROOF FIXINGS

ALL PURPOSE FASTENERS

3.18cm	Pail of 1000
	Box of 100
4.13cm	Pail of 1000
	Box of 100
5.72cm	Pail of 1000
	Box of 100
7.30cm	Pail of 1000
	Box of 100
8.62cm	Pail of 1000
	Box of 100
9.53cm	Pail of 1000
	Box of 100
11.43cm	Pail of 1000
	Box of 100
12.70cm	Pail of 1000
	Box of 100
15.24cm	Pail of 1000
	Box of 100
17.78cm	Pail of 500
	Box of 100



Used for the mechanical attachment of the EPDM membrane, insulation (using metal insulation plates) or accessories such as Batten Bars, Termination Bars etc, to steel, plywood and timber. No need for plugs (use 5.5mm Pilot in substrate. Can use directly into concrete).

WURTH COUNTERSUNK POZI SCREWS

- 4 X 30MM-BOX OF 500
- 4 X 40MM-BOX OF 500
- 4 X 50MM-BOX OF 500
- 4 X 60MM-BOX OF 250
- 4 X 70MM-BOX OF 500





PERMAROOF SHED IN A BOX®

Shed Roof In A Box 1 6' X 4' (2M X 1.7M)

Shed Roof In A Box 2 7' X 5' (2.4M X 2M)

Shed Roof In A Box 3 8' X 6' (2.6M X 2.3M)

Shed Roof In A Box 4 10' X 6' (3.3M X 2.3M)

Shed Roof In A Box 5 10' X 8' (3.4M X 2.9M)







PLASTIC HANDLED PAINT ROLLER FRAME

Roller Frame

For applying Water-Based or Contact Adhesive.



9" CAGE ROLLER SLEEVE FOR ROLLER FRAME

Roller Sleeve

For applying Water-Based or Contact Adhesive.



4" MINI ROLLER FRAME

4" Mini Roller Frame

Used for applying Contact Adhesive



REFILLS FOR MINI ROLLER FRAME

Refill Packs of 10 or 5

4" wide. For applying Contact Adhesive.





PERMAROOF TOOLS

PENNY ROLLER

Penny Roller

Brass Roller used for detailing.



SILICON ROLLER

Silicon Roller



Used to secure Quickseam tapes into place.

HEAVY DUTY SCISSORS

HEAVY DUTY SCISSORS





PERMAROOF TOOLS

HEX NUT DRIVER

Hex nut driver

Magnetic, used for screwing Hex Tech fixings into Plastisol trims.



QUICKSCRUBBER KITS

Quickscrubber Kit includes :-

Quickscrubber Pads 30 Pads

Quickscrubber Handle X 4

Also available individually



Used to apply Quickprime Plus to rubber membrane. It applies the primer at the same time as cleaning the membrane.

EXTENSION ROLLER

EXTENSION ROLLER

Used to remove creases in EPDM





PERMAROOF TOOLS

SPRAY GUN

High quality spray gun to work with the 17kg spray canisters.

Also available with extended nozzle for easy and controlled application.





SPRAY GUN 4M HOSE

4M rubber hose for use on the 17kg spray canisters.





LIQUID COATINGS

PERMAROOF 500 LIQUID MEMBRANE

Available in 25kg or 6kg

Used to waterproof the main roof area

Coverage rate of 1.8 kg/m2 15 or 20 year warranties available



PERMAROOF 500 ACCELERATOR

Available in 2kg

Used to accelerate the Permaroof 500 membrane cure time.



PERMAROOF 500 TOPCOAT

Available in 5KG

A&B mix 4.3 kg & 0.7 kg comes complete

Extra 5 year warranty when used



PERMAROOF 500 PRIMER

Available in 5KG

Must be used on all concrete, EPDM, TPO single ply and rubber outlets



PERMATHIX

Available in 1KG

Needs to be applied to vertical surfaces, Permathix will allow easy applications without runs or drops



PERMABAND REINFORCING MAT

Available in

100MM X 120MTRS

200MM X 120MTRS

1.0M X 50MTRS

Used embedded into a coat of Permaroof 500 membrane





LIQUID COATINGS

ANTI SLIP SLATE GRANULES

Available in 13KG drums

Must be applied on topcoat by broadcasting or fully loading into topcoat. Once coating is dry excess granules must be swept off and can be re-used again in other areas.



ANTI SLIP BEADS

Must be applied on topcoat by broadcasting or fully loading into topcoat. Once coating is dry excess granules must be swept off and can be re-used again in other areas.





PERMAROOF ECO BREATHER MEMBRANE

Fco Breather Membrane

1M x 50M Roll



PERMAVENT BREATHER MEMBRANES

Our high performance breather membranes, for use in construction and roofing, are fully certified and guaranteed to offer the best protection against condensation. Permavent breather membranes were fully certified for use in all roofing applications.

Permavent breather membrane is good at controlling condensation that it is the only 3 layer roofing membrane to pass the air permeability test from the Building Research **Establishment (BRE) and** will offer the best option for use as a better alternative breather membrane to our rival brand leaders such a



PERMAROOF GUTTER BRUSH

Permaroof Gutter Brush 4M X 100MM

A continuous polypropylene brush which prevents the build up of wind blown debris.

Available in black, white or brown.







SKYLIGHTS

Skylights

Skylights are now available to order. Please call for more information and prices. Many sizes and options available.



VELUX ROOF WINDOWS

VELUX is the worlds leading manufacturer of Roof windows, flat roof windows, sun tunnels and roof window blinds. Please call for more information and prices.



GEOTEXTILE

39

Geotextile Roll 50M x 2M Geotextile Roll 100M x 2M Or per m2 240 gsm Used when doing an overlay system. Isolates the rubber membrane against chippings on roof etc and stops any abrasions.





GLASS CLEANER 1LTR

Suitable for manually cleaning windows, mirrors, glazing and windscreens.



SOLVENT CLEANER 1LTR

Suitable for the removal of grime, excess grease, ingrained marks and uncured silicone from uPVC windows and door frames.



WONDER WIPES

- Multi use Wonder Wipes have become the first choice wipe of the nations Builders and Tradesmen
- Cleans hands, tools, surfaces from wet, semi-cured paint, sealant, adhesive, bitumen, expanding foam, oil, grease and even silicone
- Particularly useful when there is no water on site
- Independently tested to BSEN 1276:1997 and BSEN 12054:1995, the standards for killing bacteria on dirty surfaces and hands
- Resistant to MRSA, Salmonella, Listeria and E.Coli





OSB 3 BOARD 11MM & 18MM

Available for collection

Site drops available for pallet quantities.

It is versatile, strong and cost-effective. Manufactured with exterior resins, SMARTPLY OSB3 board is suitable for both interior and exterior structural applications.



HEAVY DUTY RUBBLE SACK

Available in 10 Packs or 100 Packs

Size: 20" Wide x 30" Deep

Box Qty: 10 or 100 Sacks

Colour: Blue

Contain your rubble safely with our purpose made extra heavy duty rubble sacks





GREEN ROOFS

Available to order

Key Benefits

- Environmentally friendly
- Can be an aid to planning (Breeam)
- Increased life expectancy to water proofing
- Keeps roofs cooler in the summer and warmer in the winter
- Aesthetically pleasing
- Recreating habitat



PERMAROOF EMERGENCY REPAIR

- Waterproofs instantly
- Only one coat needed for fast repairs
- Ready to use straight out the tin no catalysing or mixing components required
- Ideal for general maintenance work
- Contains fibres that provide extra strength for the coating and interlace to cover small gaps or cracks
- Cold applied for maximum safety no risks from open flames and other hot works
- Suitable for application in temperatures as low as 5°C or as high as 25°C
- Rainfall after application has no adverse effect





SALES TOOLS

SAMPLE ROOF

Sample Roof Model

Small display model to show membrane and trims. Available in Permaroof trim, Permaroof Plus trim & EPDM edge trim.



MARKETING PACK

- Sample roof
- Penny roller
- Silicon roller
- **Scissors**
- Tape measure
- Crayon
- 100 x Firestone brochures
- 100 x EPDM samples
- Van stickers





MATLOCK PILE HEIGHT 33MM

A grass that is fantastic value but still is soft and luxurious. Straight yarn, two tone. Infill recommended. (5 year guarantee)



















HARDWICK PILE HEIGHT 26mm

Hardwick is a perfect grass for any garden. Durable, soft and fresh looking. C shaped yarns and tri-coloured. No infill necessary















SHERWOOD **PILE HEIGHT 33MM**

Sherwood is the soft, natural looking grass suitable for domestic application. C shaped yarn and tri coloured. No infill necessary.



















ORMONDE PILE HEIGHT 33MM

Like Sherwood but only a brighter toned grass. The Ormonde is for domestic use and is tri-coloured. C shaped yarn. No infill necessary.























Chessington is designed for high traffic areas, perfect for all commercial installations. It has an attractive vibrant green colour and C shaped yarns. Tricoloured, no infill necessary.















KEDLESTON PILE HEIGHT 35MM

The Kedleston is a hybrid between the best commercial grade grass you can ask for and a long lasting landscaping solution. It's slightly higher pile gives it a more mature feel.



















DENBY PILE HEIGHT 40MM



Luxurious and soft, the Denby is a natural green toned grass. It's high pile height and face weight make the Denby a must have. C shaped yarn, tri-coloured and no infill necessary.





















CHATSWORTH PILE HEIGHT 40MM

Our Chatsworth is the height of luxury. It has a fresh green look and is soft to the touch. C shaped yarn, tri coloured and no infill required.















WE ALSO STOCK NAMGRASS

In addition to our Permalawn range we also stock a wide range of Namgrass. Vision, Elise, Serenity & Eclipse. Specs inbound.

(10 year manufacturer's quarantee)







AQUABOND SEALANT

Agua Bond Adhesive is a single component moisture-curing adhesive of trowellable viscosity designed for bonding synthetic sports surface carpets to a variety of substrates or jointing tapes. The adhesive is tolerant to use in damp and cold conditions, with the final bonds being fully resistant to climatic conditions.

PERMALAWN HARDENER

Permalawn Hardener liquid is part of a 2component system and is specially formulated to mix with the Permalawn PU adhesives: Ultrafix, Wet-Fix, Multi-Purpose and Flexibond.





47

PERMALAWN MULTI-PURPOSE

Multi Purpose Adhesive is a two component polyurethane based adhesive system primarily designed for bonding, sand filled artificial grass carpets to our special seam jointing tapes to produce a strong invisible joint along the carpet joins.



PERMALAWN SEAMING TAPE **200MM OR 300MM**

Permalawn Seaming Tape LMP Super is a specially constructed tape for use with the recommended Permalawn adhesive in forming strong bonds when seam jointing artificial grass carpets used in the landscaping of busy leisure areas.

The tape consists of a strong geo textile white fabric on one side and this is laminated to a polyolefinic film to prevent the penetration of adhesive through to the under surface.



PERMALAWN HALF GREEN PEGS

Permalawn half green pegs used to secure two artificial grass carpets. Can also be used to secure around the perimeter of the lawn.







Please contact us if you require any further information or visit the website.

www.permaroof.co.uk

Permaroof (UK) LTD Unit 1 West way, Cotes park, industrial estate, Alfreton, DE55 4QJ Tel: 0800 161 3722 • www.permaroof.co.uk • sales@permaroof.co.uk